

CLIMAPLUS™ PFRFORMANCF

Mars[™] Healthcare Acoustical Panels New High-NRC and AirCare[™] Coating Options

ADVANTAGES

- Water-repellent membrane designed to be safely cleaned with common disinfectants⁸
- Fully encapsulated edges available on request
- Washable and soil resistant finish. Impact and scratch resistant
- Exceeds JIS Z 2801 standard for antimicrobial performance, 3rd party certified⁶
- Meets the requirement for PC1 and PC2 physical containment facilities⁸
- AirCare[™] coating applied to face and back reduces 75% of formaldehyde over a ten year period⁷
- High light reflectance (LR 0.90): reduces light fixtures and energy use
- Excellent noise reduction (NRC 0.85)
- ClimaPlus[™] 30-year lifetime system warranty against visible sag, mould and mildew
- Plant-based binder resists water staining

APPLICATIONS

- Patient rooms
- Treatment rooms
- Nurses' stations
- Waiting rooms
- Laboratories
- Corridors
- Toilets and restrooms
- Kitchen/food-prep areas

SUBSTRATE

Wet-formed mineral fibre




Mars™ Healthcare Acoustical Panels with ClimaPlus™ Performance Donn® DX™ Acoustical Suspension System. Photo: © Andrew Latreille Architects: PERKINS + WILL/KRA/Group 2

Grid Options




Donn[®] DX[™] 24mm - available with high performance antimicrobial coating⁶





- available with high performance antimicrobial coating⁶





PHYSICAL DATA/ FOOTNOTES

5.0 - 6.0 kg/m² **Environmental Limitations** 49°C, 99% RH max

Thermal Resistance R 0.39 (m²K)/W

Maximum Backloading 0 kg/m²

Maintenance

Can be cleaned easily with a soft brush or vacuum

Installation

Shall not begin until the building is fully enclosed. watertight, dry, permanent heating and cooling equipment is in operation, residual moisture from wet trades (eg. terrazzo, concrete, plaster) has dissipated, and is free of chemical fumes. Do not mix production lots in the same ceiling area.

REACTION TO FIRE Standard ASTM E84

Flame Spread Smoke Developed <25 <50 AS/NZS 3837 Group Number Classification: 1 unsprinklered ISO 5660 Parts 1 & 2 Group Number Classification:

SALES ENQUIRIES **1800 226 215** (AU)

0800 USGBORAL (NZ)

Footnotes

Not all panel sizes available in all geographic areas

- Some imperial sizes available to order
- 3. Acoustic Test Standards NRC to ASTM C423 CAC to ASTM E1414

- LR values are shown as averages
 Panel face and back surfaces treated with a proprietary, broadspectrum antimicrobial standard formulation that inhibits and retards the growth of mould/mildew
- 6. The kill rate for the following micro-organisms that land on the surface of the tile is 99% in less than 24 hours. (tested to JIS Z2801): E-coli, Staphylococcus Aureus, Klebsiella Pneumoniae, S. aureus MRSA, Acinebacter Baumanii, Canadida Albicans, Streptococcus Pnuemoniae, Bacillus Cereus, Aspergillus Niger. Testing completed by 3rd party in laboratory conditions
- 7. AirCare[™] coating removes formaldehyde by an average of 75% over 10 years at an average indoor concentration of 13 ppb
- 8. Cleaning Recommendations To clean panel, use a clean, white cloth with water or a mild
 - detergent and wipe surface. To disinfect panel, lightly spray surface and wipe clean with a clean, white cloth. Acceptable colourless disinfectants include: - Hydrogen peroxide Isopropyl alcohol
 - Quaternary ammonium
 - Sodium hypochlorite

Do not mix cleaners. Follow cleaner manufacturer's recommendations

See USGBoral.com for Ceiling Systems warranty © 2017 USG BORAL. All rights reserved.

Manufactured, sold or distributed by USG Boral Building Products or one or more of its affiliates. INNOVATION INSPIRED BY YOU, TecASSIST, OLYMPUS MAX, SKYROCK CLASSIC and ENDURA are trademarks of USG Boral Building Products or one or more of its affiliates. The trademarks CENTRICITEE, DONN, DX, DXF, DXL, DXT, FINELINE, CLIMAPLUS, CLEAN ROOM, ECLIPSE, ILLUSION, PEDESTALS, HALCYON, IMPRESSIONS, MARS, MILLENNIA, OLYMPIA MICRO, RADAR are trademarks of USG Interiors LLC and used under license. Product availability should be checked with your local USG Boral Sales Office, as availability may vary. Safety First! Follow good safety/industrial hygiene practices during installation. Wear appropriate personal protective equipment. Read SDS and literature before specification and installation. USG Boral Building Products Pty Limited - ABN 84 004 231976 - 251 Salmon Street, Port Melbourne, VIC. 3207

(standard test)

(modified test)

Water Drop Test

ASTM D4828 washability test

Water Repellency Cobb method (Tappi T441 om-84)