
MARS™ CLIMAPLUS™



FEATURES AND BENEFITS

- Excellent noise reduction (NRC .70)
- High light-reflective finish (LR-.89) reduces light fixtures and energy use
- Washable and scrubbable finish impact and scratch resistant
- Meet USDA/FSIS guidelines for use in food processing areas
- Available in Optimized Recycled Content formulations to help maximize LEED recycled content contribution
- Coordinates visually with Halcyon for open/closed plan applications
- Non-directional, monolithic visual reduces installation time and waste
- ClimaPlus™ 30-year lifetime system warranty against visible sag.

APPLICATIONS

- Offices
- Conference rooms
- Healthcare
- Classrooms
- Corridors
- Reception/Lobby areas
- Dining rooms, kitchens and food prep areas

SUBSTRATE

X-Technology mineral fiber







MARS" CLIMAPLUS"

MARS CLIMAPLUS **PANELS**



LEGEND



Low-Emitting performance meets CA Specification 01350 (CA Dept. of Health Services Standard Practice for the testing of VOC emissions) and is listed on CHPS data base for low-emitting materials. USG Certificate of Compliance for Low VOC Emissions also available in usg.com

DXW™



DX®/DXL™

DXI

DXII

DXIII

Contains a broad-spectrum antimicrobial additive on the face and back of the panel that provides resistance against the growth of mold and mildew.

High Recycled Content

Fineline® 1/8"

DXF

Classified as containing greater than 50% total recycled content. Total recycled content is based on product composition of postconsumer and pre-consumer (post-industrial) recycled content per FTC guidelines.



DXM

GRID PROFILE OPTIONS



DX®/DXL™

DXI

DXII

DXIII

ASTM E1264 Classification Type IV, Form 1 and 2, Pattern E,G

ASTM E84 surface burning characteristics

Class A Flame spread: 25 Smoke developed: 50

Imperial Weight 0.96-1.05 lb./ft.3

Metric Weight 4.68 - 5.12 kg/m²

Thermal Resistance R-2.2

Backloading Refer to Installation and Maintenance

Centricitee™ DXT™

Maintenance Can be cleaned easily with a soft brush or vacuum

Scrubbability
Exceed 1000+ scrub cycles without surface break or the extent of abrasion (ASTM D2486)

Washability Exceed 1000+ wash cycles without surface break or the extent of abrasion (ASTM D4828).

Water resistance Absorption of 1,660 gm/ m^2 per Cobb test (T441 om-84).

Cleaning recommendations
To clean panel, use a clean, white cloth
with water or a mild detergent and
wipe surface. To disinfect panel, lightly spray surface and wipe clean with a clean, white cloth. Acceptable colorless disinfectants include

Centricitee"

DXT

- usinectants include. Hydrogen peroxide Isopropyl alcohol Quaternary ammonium Sodium hypochlorite

Fineline® 1/8"

DXFF

- ootnotes For details, see LEED report tool at usgdesignstudio.com
- 2. LR values are shown as averages.
- Not all panel sizes available in all geographic areas, some metric sizes available to order.
- 4. Panel face and back surfaces treated Panel face and back surfaces treated with a proprietary, broad-spectrum antimicrobial additive that inhibits and retards the growth of mold and mildew. For details, see Ceiling Systems Limited Warranty Commercial Applications (CW2015).
- 5. Maximum 2'x2' with SQ edge panels

Short Specification:

- hort Specification:

 Ceiling system shall comprise USG Mars™ ClimaPlus™ high humidity / fire resistant acoustical ceiling panels in (DONN Centricitee 15mm [9/16"] / DONN DX 24mm [15/16"] / DONN Omega 15mm [9/16"] / DONN Fineline 15mm [9/16"] / DONN Identitee 15mm [9/16"]) exposed grid including wall trim as manufactured by USG Interiors, LLC. Panels shall have NRC 0.70.

 Panels shall have CAC 35.

 Nominal size (600mm x 600mm x 600mm x 1200mm) x 19mm / (2' x 2' / 2' x 4') x 3/4".

 Edge detail shall be (Fineline Bevel [FLB] / Shadowline Tapered [SLT] / Square edge [SQ]).

 Limiting Conditions Maximum 49°C (120°F)/99% RH.

