
# **TOPO™3-DIMENSIONAL SYSTEM**



#### SYSTEM AT A GLANCE

Transform flat ceiling planes into gently rolling landscapes with pre-formed panels that install easily into the narrow-profile DONN® brand Topo suspension system.


# FEATURES AND BENEFITS


- Two system depths (8" and 12") create varying ceiling topographies.
- Translucent and opaque infill panels in five colors enhance existing lighting for added visual interest.
- Optional pre-engineered utility circles accomodate additional lighting and utility access.

## **APPLICATIONS**

• All commercial applications











# **TOPO™ 3-DIMENSIONAL SYSTEM**


#### **PRODUCT** INFORMATION

Materials	Size and Weight	Finishes
Panels: Pre-formed Lexan. Material thickness 0.04". Suspension system: Extruded aluminum available in color-coordinated finishes. Edge trim system: painted cold-rolled steel.	Panels: 2' x 2'. System weight: 0.5 lbs./sf.5	Full 2' x 2' modules only.


### **FINISHES**

Color	Light Transmission	Topo Suspension System Coordinating Colors
Clear Translucent	94%	Silver Satin
Blue Translucent	78%	Topo Blue
Glass Green Translucent	77%	Clear Glass Green
White Translucent	26%	Flat White
White Opaque	8%	Flat White
·		·

### **DETAILS** SYSTEM PROFILES



**ASSEMBLY** (VIEW FROM BELOW)



## **Exposed Hanger Solutions**

For ceiling islands and other installations with exposed hanger wires, USG offers stainless steel wire and rope wire with a variety of connectors for an attractive alternative to standard 12-gauge wire. See installation guide IC453 for more information.

#### Online tools

usgdesingstudio.com usg.com/resources/onlinetools/topogeo/index.jsp

Recycled content
TOPO panels: 0% recycled content.
TOPO suspension: 50% recycled content.
TOPO trim: 25% recycled content.

**Code Approval**LEXAN infill panels meet Class A requirements for flame spread and smoke developed as defined by ASTM E1264, NFPA and IBC (UBC) as tested in accordance with ASTM E84

